

## Entity-Relationship Model Intershop 7



Document ID: ENF7-32-09-01  
Version: 7.3.2.0.233  
Publication Date: 2013-05-30  
Cartridge: bc\_mvc

Notes:

- DomainID <fk> columns reference to Domain.UUID (core)
- <pk> = primary key
- <fk..> = foreign key
- <ak..> = alternate key
- <i..> = indexed column
- <PersistentObject> \_AV.OWNERID references to <PersistentObject>.UUID, see core for detailed column description of \_AV tables.

### ALERT\_AV

OWNERID ... <pk,fk> not null  
NAME ... <pk> not null  
LOCALEID ... <pk> not null  
...

UUID = OWNERID

### ALERT

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
TYPECODE	NUMBER(11,0)			not null
HANDLERCLASSNAME	VARCHAR2(256 CHAR)			null
USERID	VARCHAR2(28 CHAR)		<i2>	null
PRODUCTREFPRODUCTSKU	VARCHAR2(256 CHAR)		<i3>	null
PRODUCTREFDOMAINNAME	VARCHAR2(256 CHAR)		<i3>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

alert

### PRODUCTMAPPINGRULE\_AV

OWNERID ... <pk,fk> not null  
NAME ... <pk> not null  
LOCALEID ... <pk> not null  
...

UUID = OWNERID

### PRODUCTMAPPINGRULE

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
LASTEXECUTION	TIMESTAMP (9)			null
REFRESHINTERVAL	NUMBER(11,0)			null
TYPECODE	NUMBER(11,0)		<i3>	null
QUERY	BLOB			null
CATALOGCATEGORYID	VARCHAR2(28 CHAR)		<i2>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

### PRODUCTDATAMAPPINGRU\_AV

OWNERID ... <pk,fk> not null  
NAME ... <pk> not null  
LOCALEID ... <pk> not null  
...

UUID = OWNERID

### PRODUCTDATAMAPPINGRULE

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
TARGETDECLARATIONID	VARCHAR2(28 CHAR)		<i3>	not null
SOURCEDECLARATIONID	VARCHAR2(28 CHAR)		<fk1> <i2>	not null
LISTID	VARCHAR2(28 CHAR)		<fk3> <i4>	not null
TYPECODE	NUMBER(11,0)		<i5>	not null
FUNCTIONCLASSNAME	VARCHAR2(256 CHAR)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

### PRODUCTDATAMAPPINGRULESET

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
NAME	VARCHAR2(256 CHAR)		<i3>	null
PROVIDINGDOMAINID	VARCHAR2(28 CHAR)		<i2>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = LISTID

### PRODUCTDATADECLARATI\_AV

OWNERID ... <pk,fk> not null  
NAME ... <pk> not null  
LOCALEID ... <pk> not null  
...

UUID = OWNERID

### PRODUCTDATADECLARATION

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
LISTID	VARCHAR2(28 CHAR)		<fk> <i2>	not null
TYPECODE	NUMBER(11,0)		<i3>	not null
SHORTDESCRIPTION	VARCHAR2(256 CHAR)			null
DISPLAYNAME	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = SOURCEDECLARATIONID

UUID = TARGETDECLARATIONID

UUID = LISTID

### PRODUCTDATADECLARATIONLIST

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
NAME	VARCHAR2(256 CHAR)		<i2>	null
TYPECODE	NUMBER(11,0)		<i3>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null












## mapping

These materials are subject to change without notice. These materials are provided by Intershop Communications AG and its affiliated companies ("Intershop Group") for informational purposes only, without representation or warranty of any kind, and Intershop Group shall not be liable for errors or omissions with respect to the materials. The only warranties for Intershop Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.


This document and all of its parts are protected by copyright. All rights, including those of duplication, reproduction, translation, microfilming, storage on electronic media and processing in electronic form are expressly reserved.

Intershop® and Enfinity™ are trademarks or registered trademarks of Intershop Communications AG. All other company, product and brand names are trademarks or registered trademarks of their respective owners.


Copyright© 2005-2013 Intershop Communications. All Rights Reserved.




catalog



filter



assignments



commodity

PRODUCTLISTITEM_AV				
OWNERID	...	<pk, fk>	not null	
NAME	...	<pk>	not null	
LOCALEID	...			

PRODUCTLISTITEM				
UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
PARENTLISTITEMUUID	VARCHAR2(28 CHAR)	<fk1>	<i2>	null
PRODUCTLISTUUID	VARCHAR2(28 CHAR)	<fk2>	<i3>	null
PRODUCTREFPRODUCTSKU	VARCHAR2(256 CHAR)			null
PRODUCTREFDOMAINNAME	VARCHAR2(256 CHAR)			null
QUANTITYUNIT	VARCHAR2(256 CHAR)			null
QUANTITYVALUE	NUMBER(38,6)			null
POSITION	NUMBER(11,0)		<i5>	null
PUBLICFLAG	NUMBER(1,0)			null
PRODUCTLINEITEMUUID	VARCHAR2(28 CHAR)		<i4>	null
SINGLEPRICEPCODE	VARCHAR2(3 CHAR)			null
SINGLEPRICEPCVALUE	NUMBER(38,6)			null
BASEDONNETPRICEFLAG	NUMBER(1,0)			null
NETPRICEPCODE	VARCHAR2(3 CHAR)			null
NETPRICEPCVALUE	NUMBER(38,6)			null
TAXCLASSID	VARCHAR2(28 CHAR)			null
ORIGINSINGLEPRICEPCODE	VARCHAR2(3 CHAR)			null
ORIGINSINGLEPRICEPCVALUE	NUMBER(38,6)			null
ORIGINNETPRICEPCODE	VARCHAR2(3 CHAR)			null
ORIGINNETPRICEPCVALUE	NUMBER(38,6)			null
ORIGINQUANTITYUNIT	VARCHAR2(256 CHAR)			null
ORIGINQUANTITYVALUE	NUMBER(38,6)			null
NEGOTIATIONSINGLEPRICEPCODE	VARCHAR2(3 CHAR)			null
NEGOTIATIONSINGLEPRICEPCVALUE	NUMBER(38,6)			null
NEGOTIATIONNETPRICEPCODE	VARCHAR2(3 CHAR)			null
NEGOTIATIONNETPRICEPCVALUE	NUMBER(38,6)			null
NEGOTIATIONQUANTITYUNIT	VARCHAR2(256 CHAR)			null
NEGOTIATIONQUANTITYVALUE	NUMBER(38,6)			null
CREATIONDATE	TIMESTAMP (9)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

PRODUCTLABELASSIGNMENT				
UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
LABELUUID	VARCHAR2(28 CHAR)	<fk>	<i2>	not null
PRODUCTUUID	VARCHAR2(28 CHAR)			null
PRODUCTDOMAINID	VARCHAR2(28 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

CHANGEDPRODUCTS				
UUID				
SKU				
DOMAINID				
PARENTLASTMODIFIED				
PARENTDOMAINID				
<input type="checkbox"/> product				

PRODUCTSKUCONFLICTVIEW				
PRODUCTID				
PRODUCTDOMAINID				
CONFLICTPRODUCTDOMAINID				
<input type="checkbox"/> product				

PRODUCTLISTSECURECODE				
PRODUCTLISTUUID	VARCHAR2(28 CHAR)	<pk, fk>	<i1, i2>	not null
RECIPIENT	VARCHAR2(256 CHAR)	<pk>	<i1>	not null
SECURECODE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null

PRODUCTLIST_AV				
OWNERID	...	<pk, fk>	not null	
NAME	...	<pk>	not null	
LOCALEID	...			

PRODUCTLIST				
UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
NAME	VARCHAR2(256 CHAR)			null
SCOPEUUID	VARCHAR2(28 CHAR)		<i2>	not null
TYPECODE	NUMBER(11,0)			not null
PUBLICFLAG	NUMBER(1,0)			null
DOCUMENTNO	VARCHAR2(256 CHAR)			null
STATE	NUMBER(11,0)			null
FIXEDFLAG	NUMBER(1,0)			null
VALIDFROM	TIMESTAMP (9)			null
VALIDTO	TIMESTAMP (9)			null
TOTALCODE	VARCHAR2(3 CHAR)			null
TOTALVALUE	NUMBER(38,6)			null
CREATIONDATE	TIMESTAMP (9)			null
OWNINGDOMAINUUID	VARCHAR2(28 CHAR)		<i3>	null
ORIGINTOTALCODE	VARCHAR2(3 CHAR)			null
ORIGINTOTALVALUE	NUMBER(38,6)			null
MODIFIEDFLAG	NUMBER(1,0)			null
NEGOTIATIONTOTALCODE	VARCHAR2(3 CHAR)			null
NEGOTIATIONTOTALVALUE	NUMBER(38,6)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

PRODUCTLISTUSERASSIGNMENT				
PRODUCTLISTUUID	VARCHAR2(28 CHAR)	<pk, fk>	<i1, i2>	not null
USERUUID	VARCHAR2(28 CHAR)	<pk>	<i1, i3>	not null
OCA	NUMBER(11,0)			not null

PRODUCTBINDINGATTRIBUTE				
NAME	VARCHAR2(200 CHAR)	<pk>	<i>	not null
MAXCATEGORYLM	TIMESTAMP (9)			null
CATEGORY#	NUMBER			null
MAXPRODUCTLM	TIMESTAMP (9)			null
PRODUCT#	NUMBER			null

PRODUCTLISTEVENT_AV				
OWNERID	...	<pk, fk>	not null	
NAME	...	<pk>	not null	
LOCALEID	...			

PRODUCTLISTEVENT				
UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
PRODUCTLISTUUID	VARCHAR2(28 CHAR)	<fk>	<i2>	null
EVENTDATE	TIMESTAMP (9)			not null
TYPECODE	VARCHAR2(256 CHAR)		<i3>	not null
USERID	VARCHAR2(28 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

product