

Entity-Relationship Model Intershop 7



Document ID:	ENF7-32-09-01
Version:	7.3.2.0.233
Publication Date:	2013-05-30
Cartridge:	core

Notes:

DomainID <fk> columns reference to Domain.UUID (core)

<pk> = primary key
<fk..> = foreign key
<ak..> = alternate key
<i..> = indexed column

<PersistentObject> _AV.OWNERID references to <PersistentObject>.UUID, see core for detailed column description of _AV tables.

INVALIDATEDPAGECACHESEARCHWORD

<u>INVALIDATIONTIME</u>	<u>TIMESTAMP (9)</u>	<pk>	<i>	not null
<u>SEARCHWORD</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i>	not null
<u>DOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i>	not null
<u>UUID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i>	not null

pagecache

<PersistentObject>

<u>UUID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i>	not null
...	...			null
DOMAINID	VARCHAR2(28 CHAR)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

<PersistentObject> _AV

<u>OWNERID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk.fk>	<i1,i2>	not null
<u>NAME</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i1>	not null
<u>LOCALEID</u>	<u>VARCHAR2(10 CHAR)</u>	<pk>	<i1>	not null
LOCALIZEDFLAG	NUMBER(1,0)			null
TYPE	NUMBER(11,0)			not null
INTVALUE	NUMBER(11,0)		<i3>	null
DOUBLEVALUE	FLOAT(126)		<i4>	null
STRINGVALUE	VARCHAR2(4000 CHAR)			null
OBJECTVALUE	VARCHAR2(28 CHAR)			null
OBJECTTYPE	VARCHAR2(256 CHAR)			null
DECIMALVALUE	NUMBER(38,6)			null
DATEVALUE	TIMESTAMP (9)			null
TEXTVALUE	CLOB			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

<persistent object>

UUID = OWNERID

USERGROUPINFORMATION_AV

<u>OWNERID</u>	...	<pk.fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

USERGROUPINFORMATION

<u>UUID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
USERGROUPID	VARCHAR2(256 CHAR)	<fk>	<i1>	null
USERGROUPDOMAINID	VARCHAR2(28 CHAR)	<fk>	<i1>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

ID = USERGROUPID
DOMAINID = USERGROUPDOMAINID

USERGROUP

<u>ID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i>	not null
<u>DOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i>	not null
FIXFLAG	NUMBER(1,0)			null
TYPECODE	NUMBER(11,0)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

ID = USERGROUPID
DOMAINID = USERGROUPDOMAINID

ID = AO_ID
DOMAINID = AO_DOMAINID

USERGROUPUSERASSIGNMENT

<u>USERGROUPID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk.fk>	<i1,i3>	not null
<u>USERGROUPDOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk.fk>	<i1,i3>	not null
<u>USERID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i2,i3>	not null
DOMAINID	VARCHAR2(28 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

user

DELETEDUSER

<u>USERID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
DELETEDIN	VARCHAR2(28 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

USERGROUPASSIGNMENT

<u>PARENTUSERGROUPID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk.fk1>	<i1,i3>	not null
<u>PARENTUSERGROUPDOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk.fk1>	<i1,i3>	not null
<u>CHILDUSERGROUPID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk.fk2>	<i2,i3>	not null
<u>CHILDUSERGROUPDOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk.fk2,fk3>	<i2,i3>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

ID = CHILDUSERGROUPID
DOMAINID = CHILDUSERGROUPDOMAINID

ID = PARENTUSERGROUPID
DOMAINID = PARENTUSERGROUPDOMAINID

UUID = AO_DOMAINID

USERGROUP_RA


<u>USERGROUPID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i3>	not null
<u>USERGROUPDOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i3>	not null
<u>ROLEID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i3>	not null
<u>AO_ID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk.fk2>	<i1,i3>	not null
<u>AO_DOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk.fk1,fk2>	<i2,i3>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null


These materials are subject to change without notice. These materials are provided by Intershop Communications AG and its affiliated companies ("Intershop Group") for informational purposes only, without representation or warranty of any kind, and Intershop Group shall not be liable for errors or omissions with respect to the materials. The only warranties for Intershop Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

This document and all of its parts are protected by copyright. All rights, including those of duplication, reproduction, translation, microfilming, storage on electronic media and processing in electronic form are expressly reserved.

Intershop® and Enfinity™ are trademarks or registered trademarks of Intershop Communications AG. All other company, product and brand names are trademarks or registered trademarks of their respective owners.


Copyright© 2005-2013 Intershop Communications. All Rights Reserved.





security

businessesevent



LICENSECOUNTER				
<u>UUID</u>	<u>VARCHAR2(28 CHAR)</u>	<u><pk></u>	<u><i5></u>	<u>not null</u>
DOMAINID	VARCHAR2(28 CHAR)			not null
COUNTERTYPE	VARCHAR2(256 CHAR)		<i2>	not null
APPSERVERID	VARCHAR2(256 CHAR)		<i1>	not null
COUNTER	NUMBER(21,0)			not null
STARTDATE	TIMESTAMP (9)		<i3,i4>	not null
STOPDATE	TIMESTAMP (9)		<i4>	not null
CHECKSUM	VARCHAR2(256 CHAR)			null
INITIALCHECKSUM	VARCHAR2(256 CHAR)		<i3>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

license.counting

PERFORMANCESENSORREPORT				
<u>REPORTNAME</u>	<u>VARCHAR2(1024 CHAR)</u>	<u><pk></u>	<u><i></u>	<u>not null</u>
<u>SENSORKEY</u>	<u>VARCHAR2(512 CHAR)</u>	<u><pk></u>	<u><i></u>	<u>not null</u>
SENSORNAME	VARCHAR2(1024 CHAR)			not null
SENSORTYPE	VARCHAR2(1024 CHAR)			not null
HITS	FLOAT(126)			not null
TOTALTIME	FLOAT(126)			not null
EFFECTIVETIME	FLOAT(126)			not null
AVERAGE	FLOAT(126)			not null
MINIMUMTIME	FLOAT(126)			not null
MAXIMUMTIME	FLOAT(126)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

performance

SESSIONINFORMATION				
<u>SESSIONID</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i1,i4>	not null
<u>DOMAINID</u>	<u>VARCHAR2(28 CHAR)</u>	<pk>	<i4>	not null
USERID	VARCHAR2(28 CHAR)		<i2>	null
AUTHENTICATIONSTATE	NUMBER(11,0)			null
LANGUAGE	VARCHAR2(6 CHAR)			null
CURRENCY	VARCHAR2(3 CHAR)			null
PERSONALIZATIONGROUPID	VARCHAR2(28 CHAR)			null
DICTIONARY	BLOB			null
EXPIRES	FLOAT(126)		<i3>	null

request

DYNAMICPGID				
UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
STARTDATE	TIMESTAMP (9)		<i1>	null
ENDDATE	TIMESTAMP (9)		<i1>	null
ORIGINDESCRIPTION	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

pgid

CACHECLEARKEYBATCHCONTAINER				
UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
CACHECLEARKEYS	BLOB			not null
CREATIONDATE	TIMESTAMP (9)		<i1>	not null
DESIREDCACHECLEARDATE	TIMESTAMP (9)		<i3>	null
CACHECLEARPROCESSID	VARCHAR2(256 CHAR)		<i4>	null
OCA	NUMBER(11,0)			not null

cache

BASICSERIESEENTRY				
IDENTIFIER	VARCHAR2(256 CHAR)	<pk>	<i>	not null
NUMBERPATTERN	VARCHAR2(256 CHAR)			not null
SEQUENCENAME	VARCHAR2(30 CHAR)			not null
OCA	NUMBER(11,0)			not null

series


SYNCMESSEAGERESPONSE				
<u>MESSAGEID</u>	<u>VARCHAR2(256 CHAR)</u>	<u><pk></u>	<u><i></u>	<u>not null</u>
<u>SERVID</u>	<u>VARCHAR2(256 CHAR)</u>	<u><pk></u>	<u><i></u>	<u>not null</u>

SYNCSMESSAGE				
MESSAGEID	VARCHAR2(256 CHAR)	<pk>	<i>	not null
SENDERID	VARCHAR2(256 CHAR)	<pk>	<i>	not null
RECIPIENTID	VARCHAR2(256 CHAR)	<pk>	<i>	not null
MESSAGE	BLOB			not null
STATUS	NUMBER(11,0)			null
LASTMODIFIED	TIMESTAMP (9)			not null

messaging

CARTRIDGEINFORMATION				
UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
INTERNALNAME	VARCHAR2(256 CHAR)		<i1>	null
DISPLAYNAME	VARCHAR2(256 CHAR)			null
BUILD	VARCHAR2(256 CHAR)			null
VERSION	VARCHAR2(256 CHAR)			null
MIGRATIONVERSION	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null

cartridge



partition

INFINITYTABLE				
<u>TABLENAME</u>	<u>VARCHAR2(30 CHAR)</u>	<pk>	<i>	<u>not null</u>
<u>VERSION</u>	<u>VARCHAR2(256 CHAR)</u>	<pk>	<i>	<u>not null</u>
CARTRIDGENAME	VARCHAR2(256 CHAR)			not null
CATEGORY	VARCHAR2(256 CHAR)			null
COMMENTS	VARCHAR2(4000 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

database

LOCALIZATIONENTRY

DOMAINID	VARCHAR2(28 CHAR)	<pk>	<i>	not null
LOCALEID	VARCHAR2(256 CHAR)	<pk>	<i>	not null
LOCKEY	VARCHAR2(256 CHAR)	<pk>	<i>	not null
LOCVALUE	CLOB			null
OCA	NUMBER(11,0)			not null

LOCALIZATION_AA

APPLICATIONID	VARCHAR2(28 CHAR)	<pk,fk>	<i>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
OCA	NUMBER(11,0)			not null

LOCALEINFORMATION

LOCALEID	VARCHAR2(10 CHAR)	<pk>	<i2>	not null
LEADLOCALEFLAG	NUMBER(1,0)			null
JAVALANGUAGEKEY	VARCHAR2(6 CHAR)			null
JAVACOUNTRYKEY	VARCHAR2(7 CHAR)			null
DEFAULTREGIONALSETTINGSID	VARCHAR2(28 CHAR)		<i1>	null
CURRENCYCODE	VARCHAR2(3 CHAR)			null
OCA	NUMBER(11,0)			not null

LOCALIZATIONREPOSITORY

UUID	VARCHAR2(28 CHAR)	<pk>	<i3>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
REPOSITORYDOMAINID	VARCHAR2(28 CHAR)		<i1>	null
APPID	VARCHAR2(256 CHAR)		<i2>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

REGIONALSETTINGS_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

REGIONALSETTINGS

UUID	VARCHAR2(28 CHAR)	<pk>	<i3>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
LOCALEID	VARCHAR2(10 CHAR)		<i1,i2>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

localization

UUID = OWNERID

PREFERENCEGROUP_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

PREFERENCEGROUP

UUID	VARCHAR2(28 CHAR)	<pk>	<i3>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
GROUPNAME	VARCHAR2(256 CHAR)		<i1,i2>	not null
DOMAINTYPEMASK	NUMBER(11,0)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = PREFERENCEGROUPID

UUID = OWNERID

PREFERENCEDEFINITION_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

PREFERENCEDEFINITION

UUID	VARCHAR2(28 CHAR)	<pk>	<i3>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
PREFERENCEGROUPID	VARCHAR2(28 CHAR)	<fk>	<i2>	null
PREFERENCENAME	VARCHAR2(256 CHAR)		<i1>	not null
VALUETYPE	NUMBER(11,0)			null
VISIBLEFLAG	NUMBER(1,0)			null
REPLICATABLEFLAG	NUMBER(1,0)			null
DEFAULTVALUE	VARCHAR2(4000 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = PREFERENCEDEFINITIONID

UUID = PREFERENCEDEFINITIONID


APPLICATIONPREFERENCE

APPLICATIONUUID	VARCHAR2(256 CHAR)	<pk>	<i2>	not null
PREFERENCENAME	VARCHAR2(256 CHAR)	<pk>	<i2>	not null
PREFERENCEDEFINITIONID	VARCHAR2(28 CHAR)	<fk>	<i1>	null
INTVALUE	NUMBER(11,0)			null
DOUBLEVALUE	FLOAT(126)			null
STRINGVALUE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null


PREFERENCE

DOMAINID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
PREFERENCENAME	VARCHAR2(256 CHAR)	<pk>	<i2>	not null
PREFERENCEDEFINITIONID	VARCHAR2(28 CHAR)	<fk>	<i1>	null
INTVALUE	NUMBER(11,0)			null
DOUBLEVALUE	FLOAT(126)			null
STRINGVALUE	VARCHAR2(4000 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null


preference





staging



currency





UUID = OWNERID

BASICPROFILE_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

BASICPROFILE

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)	<ak>	<i1,i3>	not null
DEFAULTADDRESSID	VARCHAR2(28 CHAR)	<fk>	<i4>	null
DEPARTMENT	VARCHAR2(256 CHAR)			null
PHONEHOME	VARCHAR2(256 CHAR)			null
PHONEBUSINESS	VARCHAR2(256 CHAR)			null
PHONEMOBILE	VARCHAR2(256 CHAR)			null
FAX	VARCHAR2(256 CHAR)			null
EMAIL	VARCHAR2(256 CHAR)			null
ANNIVERSARY	VARCHAR2(256 CHAR)			null
BIRTHDAY	VARCHAR2(32 CHAR)			null
BIRTHDAYDATE	TIMESTAMP (9)			null
COMPANYNAME	VARCHAR2(256 CHAR)			null
DESCRIPTION	VARCHAR2(256 CHAR)			null
FIRSTNAME	VARCHAR2(256 CHAR)		<i5>	null
COMPANYNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
FIRSTNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
GENDER	VARCHAR2(32 CHAR)			null
HOBBIES	VARCHAR2(256 CHAR)			null
HONORIFIC	VARCHAR2(256 CHAR)			null
JOBTITLE	VARCHAR2(256 CHAR)			null
KEYWORDS	VARCHAR2(256 CHAR)			null
LASTNAME	VARCHAR2(256 CHAR)		<i6>	null
LASTNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
NICKNAME	VARCHAR2(256 CHAR)			null
PREFERREDLOCALE	VARCHAR2(10 CHAR)			null
PREFERRED CURRENCY	VARCHAR2(10 CHAR)			null
PREFERRED LANGUAGE	VARCHAR2(10 CHAR)			null
PREFERRED TIMEZONEID	VARCHAR2(256 CHAR)			null
PROFESSION	VARCHAR2(256 CHAR)			null
SECONDLASTNAME	VARCHAR2(256 CHAR)			null
SECONDNAME	VARCHAR2(256 CHAR)			null
SUFFIX	VARCHAR2(256 CHAR)			null
TITLE	VARCHAR2(256 CHAR)			null
CONFIRMATION	NUMBER(1,0)			null
BUSINESSPARTNERNO	VARCHAR2(256 CHAR)	<ak>	<i1>	not null
TYPECODE	NUMBER(11,0)			null
CREATIONDATE	TIMESTAMP (9)		<i7>	not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

BASICADDRESS_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

BASICADDRESS

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
PROFILEID	VARCHAR2(28 CHAR)	<fk>	<i2>	null
ADDRESSTYPEID	VARCHAR2(28 CHAR)		<i3>	null
TYPECODE	NUMBER(11,0)			null
ADDRESSNAME	VARCHAR2(256 CHAR)			null
ADDRESSNR	VARCHAR2(256 CHAR)			null
CITY	VARCHAR2(256 CHAR)			null
COUNTRYCODE	VARCHAR2(256 CHAR)			null
COUNTY	VARCHAR2(256 CHAR)			null
POSTBOX	VARCHAR2(256 CHAR)			null
POSTALCODE	VARCHAR2(256 CHAR)			null
PREFECTURE	VARCHAR2(256 CHAR)			null
PROVINCE	VARCHAR2(256 CHAR)			null
REGION	VARCHAR2(256 CHAR)			null
STATE	VARCHAR2(256 CHAR)			null
STREET	VARCHAR2(256 CHAR)			null
STREET2	VARCHAR2(256 CHAR)			null
STREET3	VARCHAR2(256 CHAR)			null
STREETTRANSCRIPTION	VARCHAR2(256 CHAR)			null
EMAIL	VARCHAR2(256 CHAR)			null
FAX	VARCHAR2(256 CHAR)			null
HOMEPAGE	VARCHAR2(256 CHAR)			null
MOBILE	VARCHAR2(256 CHAR)			null
PHONEHOME	VARCHAR2(256 CHAR)			null
PHONEBUSINESS	VARCHAR2(256 CHAR)			null
PHONEBUSINESSDIRECT	VARCHAR2(256 CHAR)			null
COMPANYNAME	VARCHAR2(256 CHAR)			null
COMPANYNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
COMPANYNAME2	VARCHAR2(256 CHAR)			null
FIRSTNAME	VARCHAR2(256 CHAR)			null
FIRSTNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
SECONDNAME	VARCHAR2(256 CHAR)			null
HONORIFIC	VARCHAR2(256 CHAR)			null
JOBTITLE	VARCHAR2(256 CHAR)			null
LASTNAME	VARCHAR2(256 CHAR)			null
LASTNAMETRANSRIPTION	VARCHAR2(256 CHAR)			null
SECONDLASTNAME	VARCHAR2(256 CHAR)			null
SUFFIX	VARCHAR2(256 CHAR)			null
TITLE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = BASICPROFILEID

UUID = PROFILEID

UUID = DEFAULTADDRESSID

BASICCREDENTIALS

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
BASICPROFILEID	VARCHAR2(28 CHAR)	<fk>	<i3>	null
LOGIN	VARCHAR2(256 CHAR)		<i1>	not null
DISABLEDFLAG	NUMBER(1,0)			null
PASSWORD	VARCHAR2(256 CHAR)			null
PASSWORDDISABLEDFLAG	NUMBER(1,0)			null
PASSWORDREMINDER	VARCHAR2(256 CHAR)			null
REMINDEREMAIL	VARCHAR2(256 CHAR)			null
IPRANGE	VARCHAR2(256 CHAR)			null
SECURITYQUESTION	VARCHAR2(1024 CHAR)			null
NEWPASWORDEXPIRY	TIMESTAMP (9)			null
LASTLOGGEDIN	TIMESTAMP (9)			null
PASSWORDCREATIONDATE	TIMESTAMP (9)			null
FAILURECOUNT	NUMBER(11,0)			null
DISABLEDUNTIL	TIMESTAMP (9)			null
SECURECODE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

ADDRESSTYPE_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

ADDRESSTYPE

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
ID	VARCHAR2(256 CHAR)		<i1>	not null
DESCRIPTION	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

